

Printed Antistatic Cellulose Tape

Product Description:


A transparent anti static cellophane tape with a synthetic rubber adhesive. The adhesive system provides excellent adhesion and high tack to a variety of paper grades. Hand tearable and has excellent elongation and tensile strength. Tape is printed with ESD symbols.

Application Advantages:

Sealing ESD bags and other ESD containers
Heavy duty package sealing
Thin and highly conformable

Physical Properties:

	Typical Values
Total thickness	2 Mil
Backing	Cellophane Film
Adhesive Type	Synthetic Rubber
Adhesion	700 g/in
Tensile Strength	1.2 kg/cm
Elongation	28%
Dielectric Breakdown	100 v
Surface Resistance	10E6
Adhesive Resistance	10E8
Roll Length	36 yards on 3" Core
Color	Clear with printed symbols



Part No.

Description

50-002P	1/2" x 36yds
50-004P	3/4" x 36yds
50-006P	1" x 36yds
50-008P	2" x 36yds

Related Products:

Non-Printed Antistatic Cello Tape, Kapton Tape, ESD Kapton Tape, Conductive Grid Tape, High Temp Wave Masking Tape, ESD Tape Dispensers



This document is prepared for our customers as a service and is to the best of our knowledge true & accurate. However, it is understood & agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.